


LICENSING KEY:

- | | | | |
|-------|--|------|--|
| EXIT | Illuminated Fire Exit sign | FACP | Fire Alarm Control Panel |
| C | Break glass call point for fire alarm in accordance with BS5839 | SD | Smoke detector |
| FD30 | Fire door to provide min. 30 minutes fire protection | S | Smoke detector/alarm |
| FD30S | Fire door to provide min. 30 minutes fire protection and where restricted smoke leakage at ambient temperatures is needed. | HD | Heat detector |
| | Area for consumption of intoxicating liquor | | Alarm sounder |
| | Area for storage of liquor/bar counter | EMG | Emergency lighting in accordance with BS5266 |
| | Toilet accommodation | B | Fire blanket 1m x 1m unless otherwise stated |
| | Kitchen & staff areas | F | 6 litre fire foam extinguisher |
| | | DP | 10kg dry powder fire extinguisher |
| | | | Total extent of licensed premises |
| | | FDKL | Fire door keep locked |
| | | FDKC | Fire door keep closed |

GROUND FLOOR PLAN - 1:50@A1, 1:100@A3

The entire premises is to be licensed for the sale of alcohol and the provision of late night refreshment



Rev	Date	Initials	Details
Purpose of Issue APPLICATION FOR PREMISES LICENSING			
RICHARD PEDLAR ARCHITECTS ARCHITECTURE • CONSERVATION • URBAN DESIGN			
RPCA St Brandon's House 29 Great George Street Bristol BS1 5QT • 0117 974 2612 www.rpca.co.uk • info@rpca.co.uk			
Project	LOUNGE at Saffron Waldon		
Client	Loungers UK Limited		
Title	Premises Licensing		
Drawing No.	LNG4771.05-		
Scale	1:50@A1 1:100@A3	Date	AUG 2023